

Product Highlights

Global Mobile Broadband

3G/4G mobile connectivity lets you take your broadband connection with you wherever you go

High-speed Connectivity

Enjoy high-speed wireless IEEE 802.11n with speeds of up to 150 Mbps, even in areas without conventional 802.11 wireless access

Secure Network Sharing

Dual active firewalls and WPA/WPA2 wireless encryption ensure that your information stays secure



DWR-921

4G LTE Router

Features

Connectivity

- WAN port to connect to broadband Internet
- Four 10/100 Ethernet LAN ports to connect wired devices for high-speed activities
- Wireless 802.11 b/g/n
- 802.3
- 802.3u

Security Features

- WPA/WPA2 encryption to secure your wireless traffic
- 64/128-bit WEP to secure your wireless traffic

Firewall

- Network Address Translation (NAT)
- Stateful Packet Inspection (SPI)

D-Link's DWR-921 4G LTE Router allows you to access worldwide mobile broadband networks from anywhere in the world. Once connected, you can transfer data, stream media, and send SMS messages. Simply insert your USIM card and share your 3G/4G Internet connection through a secure wireless network or by using any of the four 10/100 Ethernet ports.

Fast Mobile Internet


The 4G LTE Router lets you connect to your 3G/4G mobile connection with fast downlink speeds of up to 100 Mbps and uplink speeds up to 50 Mbps, giving you the speed you need for fast, responsive Internet access. Surf the web with ease and stream music and video over the Internet to your PCs and mobile devices.

Secure Wired and Wireless Connections


The DWR-921 utilizes dual-active firewalls (SPI and NAT) to prevent potential attacks across the Internet. WPA/WPA2 wireless encryption keeps your wireless network secure and your traffic safe, allowing you to securely share your 3G/4G connection without worrying about unauthorized users accessing your network.

Easy to Set Up and Use

The DWR-921 4G LTE Router can be installed quickly and easily almost anywhere. This router is great for situations where an impromptu wireless network must be set up, or wherever conventional network access is unavailable. The DWR-921 can even be installed in buses, trains, or boats, allowing passengers to check e-mail or chat online while commuting or traveling.



Your Network Setup



Technical Specifications

General

| | | |
|------------------------------------|---|---|
| Device Interfaces | <ul style="list-style-type: none"> • Four 10/100 Ethernet LAN ports • WAN (RJ-45) port | <ul style="list-style-type: none"> • Two detachable 3G/4G antennas |
| Data Rates ¹ | <ul style="list-style-type: none"> • Up to 150 Mbps with 802.11n clients • 6/9/11/12/18/24/36/48/54 Mbps in 802.11g mode • 1/2/5.5/11 Mbps in 802.11b mode | <ul style="list-style-type: none"> • LTE Uplink: Up to 50 Mbps • LTE Downlink: Up to 100 Mbps |
| Standards | <ul style="list-style-type: none"> • 802.11g/b, compatible with 802.11n • 802.3 | <ul style="list-style-type: none"> • 802.3u |
| UMTS/HSDPA/HSUPA Band ² | <ul style="list-style-type: none"> • 900/2100 MHz | <ul style="list-style-type: none"> • Power Class 3 |
| LTE Band | <ul style="list-style-type: none"> • 900/1800/2600/800 MHz | |

| Functionality | | |
|-----------------------|---|---|
| Wireless Security | <ul style="list-style-type: none"> • 64/128-bit WEP (Wired Equivalent Privacy) | <ul style="list-style-type: none"> • WPA & WPA2 (Wi-Fi Protected Access) |
| Firewall | <ul style="list-style-type: none"> • Network Address Translation (NAT) | <ul style="list-style-type: none"> • Stateful Packet Inspection (SPI) |
| VPN | <ul style="list-style-type: none"> • L2TP/PPTP/IPSEC VPN Pass-through | |
| Physical | | |
| LED Status Indicators | <ul style="list-style-type: none"> • WAN • LAN • WLAN • 4G | <ul style="list-style-type: none"> • 3G • SMS • Signal |
| Dimensions | <ul style="list-style-type: none"> • 190 x 111.5 x 23.5 mm (7.48 x 4.39 x 0.93 inches) | |
| Weight | <ul style="list-style-type: none"> • 500 grams (1.10 lb) | |
| Temperature | <ul style="list-style-type: none"> • Operating: 0 to 40 °C (32 to 104 °F) | |
| Humidity | <ul style="list-style-type: none"> • Operating: 10% to 90% non-condensing | |
| Certifications | <ul style="list-style-type: none"> • CE | <ul style="list-style-type: none"> • Wi-Fi Certified |
| Order Information | | |
| <i>Part Number</i> | <i>Description</i> | |
| DWR-921 | 4G LTE Router | |

¹ Data rates are theoretical. Data transfer rate depends on network capacity and signal strength.

² Supported frequency band is dependent upon regional hardware version.

Updated 2012/10/12



with some n features

